
SOLIDS DISCHARGING EQUIPMENT

Food-grade Bin Activators

BAF







CERTIFIED

EC 1935/2004-certified

WAMGROUP®

EXTRAC®

Food-grade Bin Activators BAF

HIGH-PERFORMANCE DISCHARGE FAVOURING “MASS FLOW”


The BAF by EXTRAC® is the ultimate Bin Activator specifically designed to meet the requirements of the food industry.

It excels in applications where minimum material residue and zero contamination are required.


With its hygienic design and finishing, the EC 1935/2004-certified BAF is suitable for a variety of applications in food processing.







Overall Dimensions



TYPE	Size	Ø A STD	B (mm)	C (mm)	H (mm)	Electric Vibrator(s)	Weight (kg)
BAF040	400	114	380	425	330	1	45
BAF060	600	168	580	520	410	1	66
BAF075	750	219	730	610	455	1	82
BAF090	900	219	880	685	530	1	115
BAF100	1,000	273	980	735	555	1	125
BAF125	1,250	273	1,230	935	680	1	230
BAF150	1,500	323	1,480	1,120	775	1	385
BAF180	1,800	323	1,780	1,195	925	2	620
BAF210	2,100	406	2,080	1,420	1,035	2	720
BAF235	2,350	406	2,330	1,545	1,165	2	1,025
BAF250	2,500	406	2,480	1,705	1,305	2	1,250
BAF300	3,000	406	2,980	1,955	1,570	2	2,600


Dimensions in mm

Benefits

Maximum discharge efficiency thanks to industrial component design

Durable gasket manufactured from wear-resistant food-grade SINT®AL engineering polymer

The specific design of the components ensures the integrity of the materials in contact with the bin activator.



Interior design facilitates material flow


Minimum residue - zero contamination



Technical support and worldwide availability of spare parts thanks to WAMGROUP® subsidiary network

Technical Features

- Material: 304L / 316L stainless steel
- Hygienic design and high food-grade surface finishing
- Seamless heavy-duty activator cone
- No nuts and bolts inside the activator cone
- ATEX-compliant
- Suitable for negative pressure (-0.5 bar)
- European Regulation (EC) No. 1935/2004-certified
- FDA-certified



Industries


Food Processing


Chemicals


Pet Food


Pharmaceuticals

Application





Rights reserved to modify technical specifications.

203001802 May 2022



WAMGROUP®

WAM® TOREX® MAP® EXTRAC® RONCUZZI® FLITECH® TECNO CM

SILOFAB™ MVM CHIOR® SEPCOM SPECO® SAVI SAVECO® Member of WAMGROUP®

This brochure has been edited for distribution in European Union countries.

EXTRAC®

UNI EN ISO 9001 Certified Company

www.wamgroup.com