EN

Mobile flooring plants

CIFA EASYFLOOR

by BLEND



A single solution for flooring



Easyfloor is a mobile plant for the production and pumping of:

SCREED dry and semi-dry	**MULCH** *(A70)*
SELF-LEVELING	**SOIL**
SPRITZ dry and wet	**GRAVEL**
DRAINING CONCRETE	**SAND**
	EXPANDED CLAY

Compact and rugged automotive design:

- **Real-Time Embedded operating system**
- **Power supply voltage: 9 .. 32 Vdc**
- **Operating temperature: -30 .. +75 ° C**
- **Protection class: IP67**
- **Overcurrent protection**
- **Ready for WiFi, LTE and GPS**




On board control panel with a simple and intuitive interface.

Integration MYBLEND *system for :*

- MONITORING SYSTEM

- REMOTE ASSISTANCE

Pumping unit in two versions

TECHNICAL DATA	A70	P70
	 6.150 mm	 6.150 mm
Total required power	75 Kw PTO	85 Kw PTO
Pumping	3 ÷ 8 m3/h	5 ÷ 30 m3/h
Max pressure	6 bar	70 bar
Cycle per minute	-	30
Conc. cylinders (diam. x stroke)	-	176×660 mm
Aggregates	~14 m3	~14 m3
Cement	3.5 m3	3.5 m3
Water	2.000 L	2.000 L
Additive	2×42 L	2×42 L
Tube winder	60 m	50 m
Pumping height*	100 m	75 m
Pumping distance*	180 m	150 m
Equipment weight	~4 300 Kg	~4 800 Kg
Dimensions	6.150 x 2.250 x 2.276 mm	6.150 x 2.250 x 2.276 mm
Max grain size	12 mm	25 mm
Consistency	dry, semi-dry, wet	Plastic, self-leveling

* Indicative data, subject to variations.

AIR PUMP



Material Type	Grain size
Screed Wet soil Self-leveling screed	12 mm max 

PISTON PUMP



Material Type	Grain size
Concrete Self-leveling screed	25 mm max 









BLEND

CIFA

GIUGNO 2021

ITALY
Via Castegnato, 19 - 25050
Rodengo Saiano - Brescia
+39 0307689730
info@blendplants.com
www.blendplants.com

ITALY
Via Stai Uniti d'America, 26 - 20030
Senago - Milano
+39 02990131
sales@cifa.com
www.cifa.com