
BULK SOLIDS HANDLING EQUIPMENT

Lump Breakers

DLP







WAMGROUP®

EXTRAC®

EFFICIENT LUMP BREAKING

The DLP Lump Breaker is an efficient, economical machine specially designed for disintegrating friable lumps in bulk materials discharged from silos, bins or hoppers.

It is the ideal device for breaking up brittle material agglomerates that have formed during handling or processing. Quick rotation of special chopping knives through a removable grid does the job. The presence of two rotor shafts results in high throughput rates.







MATERIALS TREATED

- Ammonium Nitrate
- Barium Nitrate
- Boric Acid
- Carbon Black
- Citric Acid
- Clay
- Glucose
- Magnesium Sulphate
- Salt
- Sodium Nitrate
- Sugar
- Talcum
- Urea

and many others

Overall Dimensions





TYPE	A	B	C	D	E	F	G	Flange Drillings		m³/h	kW		kg
								Qty	ØH				
DLP 035	375	320	490	640	210	800	90	20	12.5	25 - 35	2.2	3.0	250
DLP 050	525	440	655	820	230	1010	120	20	15.5	40 - 50	4.0	5.5	340

Dimensions in mm

Benefits



Sturdy and compact



Economic lump breaking




Cutting tools specifically designed and sized for friable lumps



Technical support and worldwide availability of spare parts thanks to WAMGROUP® subsidiary network

Technical Features

- Material: carbon steel, 304L stainless steel
- Two sizes available: 25 and 50 m^3/h (15 and 30 cfm)
- Contains two rotor shafts equipped with chopping knives and removable clearance reducing grid
- Drive unit with fixed speed gear motor



Industries


Animal Feed Milling


Food Processing


Plastics Processing


Chemicals


Glass Processing


Paint and Varnish Processing


Environmental Technology


Drymix Processing


Ceramics Production


Foundries

Application





203001805 May 2022 Rights reserved to modify technical specifications.



WAMGROUP®

This brochure has been edited for distribution in European Union countries.

WAM® TOREX® MAP® EXTRAC® RONCUZZI® FLITECH® TECNO CM

SILOFAB™ MVM CHIOR® SEPCOM SPECO® SAVI SAVECO® Member of WAMGROUP®

EXTRAC®

UNI EN ISO 9001 Certified Company

www.wamgroup.com